TABLE COVER COMPARISON CHART

BEST SELLERS ★ SUSTAINABLE ◆		TAB	LE SI	ZES		TABLE FIT		BLE RAGE	MATERIAL	FINISHED EDGE	FR	PRINT OPTIONS			
RECTANGLE	4'	6'	8'	12'	16'		3-SIDED	4-SIDED				FULL-COLOR IMPRINT	FULL-COLOR FRONT ONLY	FULL-COLOR FULL-BLEED	
Convertible ★			Χ			Drape / Fitted		X	Polyester Poplin	Serged	1		X	Х	
NEW! Deluxe	Χ	Χ	Χ			Drape	X	X	Heavyweight Polyester Knit	Hemmed	✓			X	
Economy *	Χ	Χ	Χ	Χ	Χ	Drape	X		Polyester Poplin	Serged	✓		X	X	
Eco-Wise 🔷		Х	Χ			Drape	×	X	Biodegradable Fabric	Serged	✓			X	
Enviro Pro 🔷		Х	Χ			Drape	×	X	Recycled Polyester Knit	Serged	✓			X	
Fitted ★	Χ	Х	Χ			Fitted		X	Polyester Poplin	Serged	✓		X	X	
LazerLine ★		Х	Χ			Drape	X	X	Polyester Poplin	Laser Cut	1		X	X	
NEW! Lightweight		Х	Χ			Drape	Х	X	Lightweight Polyester Knit	Laser Cut	1			Х	
Outdoor Fitted		Х	Χ			Fitted		X	600 Denier Polyester	Serged	1			X	
Premium		Х	Χ			Drape		X	Two-Way Stretch Fabric	Hemmed	1			Х	
Stain-Resistant		Х	Χ			Drape	X	Х	Polyester Poplin	Serged	1	Х			
Standard ★	Χ	Х	Χ	Χ	Χ	Drape		Х	Polyester Poplin	Serged	1		X	Х	
UltraFit Classic ★	Χ	Х	Χ			Snug Fitted		X	Two-Way Stretch Fabric	Hemmed	1			X	
UltraFit Curve ★	Χ	Х	Χ			Snug Fitted	X		Two-Way Stretch Fabric	Hemmed	1			X	
UltraFit Demo	Χ					Snug Fitted		X	Two-Way Stretch Fabric	Hemmed	1			X	
NEW! Value Lite		Х	Χ			Drape		X	Polyester Pongee	Serged		X (white imprint only)			
ROUND	31.5" BAR	31.5" CAFE	3'	4'	5'		3-SIDED	4-SIDED				FULL-COLOR IMPRINT	FULL-COLOR FRONT ONLY	FULL-COLOR FULL-BLEED	
Fitted Round	Χ					Fitted		X	Polyester Poplin	Serged	1		X	X	
Round	Χ	Х	Χ	Χ	Χ	Drape		X	Polyester Poplin	Serged	1			X	
UltraFit Round ★	Χ					Snug Fitted		X	Two-Way Stretch Fabric	Hemmed	1			X	
PARTIAL COVERAGE	12"	28"	36"	57"	6'							FULL-COLOR IMPRINT	FULL-COLOR FRONT ONLY	FULL-COLOR FULL-BLEED	
LazerLine Runner	Χ	Χ	Χ	Χ		Drape	Partial Front	t, Top & Back	Polyester Poplin	Laser Cut	1		X	Χ	
Standard Runner ★		Х		Χ		Drape	Partial Front, Top & Back		Polyester Poplin	Serged	1		Х	Х	
UltraFit Crossover					Х	Snug Fitted	Partial	4-Sided	Two-Way Stretch Fabric	Hemmed	1			Х	
No	OTE: F	-lame-	retard	ant ce	rtified	in complianc	e with the	National Fir	e Protection Association	Standard No. 7	01.				

28 Stock Throw Colors



PMS colors are for reference only and may vary slightly from actual color.

* indicates stock throw colors that closely align with our stock tent canopy colors.

Print Options

Full-Color Imprint

- · Simple to complex graphics
- (see product pages for details)
- · Vector art required; imprinted on front only
- Available in limited stock fabric colors only
 Min. and max. artwork size requirements apply
- · Always roll your table throw for storage; do not fold

Full-Color Front Only

- · Simple to complex graphics
- Vector and raster art accepted; imprinted on front only
- · Available in stock fabric colors only
- · Maximum artwork size requirements apply
- · Large maximum imprint area for more graphic coverage
- \cdot Fold and store in included poly bag

Full-Color Full-Bleed

- \cdot Simple, complex and photographic graphics
- · Vector and raster art accepted
- · Art is dye sublimated on white fabric only
- · Full-color artwork can be printed across the entire throw
- · No artwork size requirements
- · Fold and store in included poly bag



Two-Way Stretch Fabric

Nearly opaque with a luxurious look and a high-class hemmed finish.



Lightweight and designed for limited use.



The same durable, weather-resistant material we use for our tent canopies.



Throw Media

Biodegradable fabric is made with CiCLO® technology.



100% recycled media is made with fibers recycled from plastic bottles.



Our lightest weight table throw with highquality printing.



Made from heavyweight, wrinkle-resistant media.










RETRACTABLE BANNER COMPARISON CHART

USTAINABLE 🔷							(NOT ALL MEDIA AVAILABLE FOR A		BANNER MEDIA (NOT ALL MEDIA AVAILABLE FOR ALL SIZES)	RCAT RATING	HARDWARE WARRANTY		
GOOD	TABLETOP	24"	31.5"	33.5"	36"	48"	TELESCOPING POLE	CHANGEABLE BANNER	ADJUSTABLE TENSION	2-SIDED OPTION		MINIMUM RETRACTIONS	
Deluxe Mini ★	Х										Polypropylene Media		6 months
Mini Promo ★	Х										Polypropylene Media		6 months
Dual 🔷			Х	Х	Х					1	No-Curl Hybrid Media • No-Curl Opaque Fabric PVC-Free Silver Backed Media	100	1 year
Economy \star 🔷	Х	X	Х	Х	Х	Х					No-Curl Hybrid Media • No-Curl Opaque Fabric No-Curl Fabric (48" Only) • PVC-Free Silver Backed Media Dry-Erase Media (Tabletop Only)	100	1 year
Ideal 🛨			Χ	Χ							Polypropylene Media	25	2 months
Value ★			Х	Х	Х						Polypropylene Media • No-Curl Hybrid Media	50	6 months
BETTER	24"	31.5"	33.5"	36"	46.5"	48"	TELESCOPING POLE	CHANGEABLE BANNER	ADJUSTABLE TENSION	2-SIDED OPTION			
Deluxe Pro ★			Х		Х		1	1		1	No-Curl Opaque Fabric • Dry-Erase Media	200	2 years
Economy Plus 🛨		Х	Х				1	1			No-Curl Hybrid Media • No-Curl Opaque Fabric • Dry-Erase Media	150	2 years
Stratus ★ ◆	Х	Х	Х	Х		Х	1	1			No-Curl Hybrid Media No-Curl Opaque Fabric • Dry-Erase Media PVC-Free Silver Backed Media	200	2 years
BEST	16"	24"	31.25"	33.5"	40"	60"	TELESCOPING POLE	CHANGEABLE BANNER	ADJUSTABLE TENSION	2-SIDED OPTION			
InstaChange				Х	Х		1	1			No-Curl Opaque Fabric	600	2 years
MagnaLink	Х			Х		Χ	1	1	1		No-Curl Fabric	800	3 years
Spotlight			Х								Flexible Backlit Film	800	3 years
Superb				Х			1	1	1		No-Curl Hybrid Media	800	Lifetime
SPECIALTY	31"	33.25	i" 5	5'	61	81	TELESCOPING POLE	CHANGEABLE BANNER	ADJUSTABLE TENSION	2-SIDED OPTION			
Eco-Lite 🔷	Χ										Paper-Based Media		30 days
Element		Х					1			1	13 oz. Scrim Vinyl	150	1 year
Jumbo Wide)	×	Х	Х					13 oz. Smooth Scrim Vinyl • No-Curl Fabric	100	1 year
Outdoor Trek Lite		Х								1	13 oz. Scrim Vinyl	250	1 year
NEW! Plaza		Х									13 oz. Scrim Vinyl	200	1 year



AMERICA'S FINEST RETRACTOR

To guarantee superior quality, we have developed an RCAT (Retractor Calibration Assessment Test) machine that assesses retractable banner components. Each retractor is tested and rated to a minimum number of times it will extend and retract with normal use, helping you find a retractor that meets your exact needs. The RCAT rating certification lets you have confidence in your retractable banner display, no matter which one you choose.





Titan™ No-Curl Opaque Fabric

High-quality fabric that prevents curling. Silver backing makes it opaque.



Durable vinyl repels water and cleans easily for extended outdoor use.



Lightweight, no-glare fabric prevents curling.



This media is an alternative to traditional vinyl as it does not contain polyvinyl (PVC).



Smooth vinyl material, ideal for highquality graphics.



Smooth, glossy surface that can be written or drawn on with a dry-erase marker.



Tear-resistant matte media for temporary use.



Backlit film allows for light to shine through your artwork.



Cellulose-based poster paper perfect for sustainable displays.














BUILD YOUR OWN BANNERS

WITH OUR QUICK & EASY ONLINE TOOL

Visit our website for accurate quotes and hassle-free ordering 24/7!

Under the Banners & Flags tab, click Build Your Own Banners. Accurate Quoting · Large Quantities · Additional Finishing Styles · Custom Sizes

BANNER MATERIAL COMPARISON CHART

BEST SELLERS ★ SUSTAINABLE ◆		DURABILITY	,	WIND RATING	INDOOR USE	OUTDOOR USE
TITAN™ SCRIM VINYL	LIGHT	AVERAGE	HEAVY-DUTY			
10 oz.	X			5=	good	good
13 oz. ★		Х		6=	better	better
13 oz. Smooth		Х		not for outdoor use	BEST	not for outdoor use
18 oz. Opaque ★			X	6=	better	BEST
9 oz. Mesh ★			X	6=	better	BEST
PVC-FREE	LIGHT	AVERAGE	HEAVY-DUTY			
9 oz. PVC-Free 🔸		Х		6=	better	better
FABRIC	LIGHT	AVERAGE	HEAVY-DUTY			
Nylon		Х		6=	better	BEST
Polyester Poplin	X			not for outdoor use	BEST	not for outdoor use
Super Poly Knit		Х		4=	better	better
	X			not for outdoor use	better	not for outdoor use

Beaufort Wind Rating: Select products have been rated on the Beaufort Wind Scale. See rating icon underneath the product name. Wind ratings were determined utilizing all available securing/stabilizing options sold with or offered for the product. Review the Beaufort Scale on the website for additional details.

Popular Finishing Styles

Additional finishing styles available online.



Hem & Grommets



Heat Weld

Single-sided vinyl banners only

Hem, Rope & Grommets



3" Pole Pockets



Hem Only



Sewn

Hem & Grommets



3" Pole Pockets

Banner Material



Scrim Woven threads that provide added strength for a stronger vinyl banner.



Smooth Vinyl without visible scrim texture for higherquality images.



Mesh A woven vinyl pattern that features small holes so wind can pass through.













FLAG MATERIAL COMPARISON CHART

BEST SELLERS ★	MATERIAL CONSTRUCTION	WIND RATING	BEST USE	COLOR FASTNESS	REVERSE SIDE COLOR	SHAPES				
200 Denier Nylon ★	Tightly woven threads provide better longevity and hold color longer.	623	Recommended for Indoor and Outdoor Use	***	Reverse image will show through on back; color is vibrant on both sides.					
Super Poly Knit ★	Knitted fibers create a lightweight material that holds up well in windy conditions.	423	Recommended for Outdoor Use	***	Reverse image will show through on back; color is muted on back side.					
Super Poly Knit with Block-Out Polyester	Knitted fibers with a block-out polyester create a lightweight material that holds up well in windy conditions for double-sided flags.	423	Recommended for Outdoor Use	***	Image printed correctly on each side for double-sided flags; color is vibrant on both sides.					
Beaufort Wind Rating: Select products have been rated on the Beaufort Wind Scale. See rating icon underneath the product name. Wind ratings were determined utilizing all available securing/stabilizing options sold with or offered for the product. Review the Beaufort Scale on the website for additional details.										

Popular Finishing Styles

Details and additional finishing styles available online.



Canvas Header & Grommets (Standard Finishing)



Canvas Header & Rope/Thimble (Recommended for flags that are 8' x 12' or larger)



3" Pole Sleeve Visible, Closed at Top, Leather Tab



3" Pole Sleeve Visible, Open at Top, Leather Tab



4-Row Lock-Stitching



Edges

Double Needle Lock-Stitching



Gold Fringe









SAIL SIGN COMPARISON CHART

BEST SELLERS ★	AVA	ILABLE SHA	APES AND S	SIZES		MATE	RIAL	HAR	DWARE AND BASES	WIND RATING		
GOOD	BLADE	RAZOR	TEARDROP	RECTANGLE	DOUBLE-SIDED OPTION	FLAG	POLE POCKET	HARDWARE	COMPATIBLE BASES	MATINO		
Value ★	7.5'	7.5'	6.5' 9.5'		•	Super Poly Knit Block-out Polyester	same as flag material	value	Flat Base Floor Mount Ground Spike Heavy-Duty Cross Base Tent Mounts Fence Mount	623		
	15'	15'	13'						Scissor Base Simple Spike Vehicle Base Wall Mount			
BETTER												
	7'	7'	6'	7'					Three-Legged Base (6' & 7' only) Flat Base Floor Mount			
Streamline ★-	9'	9'	8'	10'	1		./	Super Poly Knit	same as flag	premium	Ground Spike Heavy-Duty Cross Base Tent Mounts	63
otrourillio X	13'	13'	11.5'	14.5'	Ť	Block-out Polyester	material	promium	Fence Mount Scissor Base Simple Spike			
	17'	17'	15'						Vehicle Base Wall Mount			
BEST												
	7'	7'	6'	7'					Three-Legged Base (6' & 7' only) Flat Base Floor Mount			
Premium ★-	9'	9'	8'	10'	,	Super Poly Knit Block-out Polyester	reinforced with premium elastic	premium	Ground Spike Heavy-Duty Cross Base Tent Mounts	(62)		
_	13'	13'	11.5'	14.5'		Block-out Polyester	black pole sleeve		Fence Mount Scissor Base Simple Spike			
-	17'	17'	15'						Vehicle Base Wall Mount			
	7'	7'	6'						Three-Legged Base (6' & 7' only) Flat Base Floor Mount			
Elite -	9'	9'	8'			200 Denier Nylon	reinforced with premium elastic	premium	Ground Spike Heavy-Duty Cross Base Tent Mounts	(6 25)		
Liito	13'	13'	11.5'			200 Denier Nylon pr	black pole sleeve	<i>p.</i> 0	Fence Mount Scissor Base Simple Spike			
	17'	17'	15'						Vehicle Base Wall Mount			

Beaufort Wind Rating: Select products have been rated on the Beaufort Wind Scale. See rating icon underneath the product name. Wind ratings were determined utilizing all available securing/stabilizing options sold with or offered for the product. Review the Beaufort Scale on the website for additional details.

HARDWARE COMPARISON CHART

	POLE CONSTRUCTION	FLAG ATTACHMENT	CARRY CASE	HARDWARE WARRANTY
Value Hardware	Channeled carbon composite overlay construction with low-gloss black paint finish. Double-reinforced carbon fiber pole segment ends.	A loop on the flag attaches to an adjustable hook on the pole.	Sold separately (see website)	90 day hardware
Premium, Streamline and Elite Hardware	Uniform carbon composite overlay construction with high-gloss black paint finish. Polished aluminum collar pole segment ends and ergonomic, rubber-reinforced base grip.	Flag attaches to a fixed hook using a bungee cord.		LIFE hardware

Customize with Base Options

















TENT COMPARISON CHART

BEST SELLERS * - 10' IS OUR MOST POPULAR SIZE ECONOMY	FRAME / CANOPY WARRANTY (FRAME / 600 DENIER / UV-PRINTED)	CON	ISTRUCTION	WIND RATING	FRAME WEIGHT	TOTAL SIZE	STOCK CANOPY COLORS
5' & 5' Plus	6 months / 1 year	STEEL 1.1875"W LEGS	0.9 mm white finish powder- coated steel plastic release button for	5=3	32 lbs.	57.875"W x 116.875"-124.625"H x 57.875"D	dye sublimation only
10' & 10' Plus			height adjustments • ABS nylon joints		41.5 lbs.	117.5"W x 128.75"-136.5"H x 117.5"D	
STANDARD							
10' ★	Lifetime / 1 year / 3 years	STEEL 1.125"W LEGS	1 mm powder-coated steel plastic push button for height adjustments	(5≅)	36 lbs.	118.5"W x 127.5"-140"H x 118.5"D	0000
10' Wall Kit			ABS nylon joints				dye sublimation only
DELUXE							
6'		STEEL 1.25"W LEGS			38.5 lbs.	72"W x 109"-121.5"H x 72"D	
8' *	Lifetime / 1 year / 3 years		1 mm powder-coated steel lever for height adjustments ABS glass-filled nylon joints	5=3	44.5 lbs.	96"W x 117.5"-130"H x 96"D	dye sublimation only
NEW! 10' ★					48 lbs.	118.5"W x 127"-139.5"H x 118.5"D	000000
OMNI							
10'	Lifetime / 1 year / 3 years	ALUMINUM 1.25" DIA. OCTAGON LEGS	0.8 mm anodized aluminum frame 1 mm powder-coated steel truss lever for height adjustments ABS glass-filled nylon joints	523	41.2 lbs.	119.5"W x 115.25"-126.875"H x 119.5"D	
PREMIUM							
NEW! 10' ★ 10' Wall Kit		ALUMINUM 1.75" DIA. HEXAGON LEGS	0.8 mm anodized aluminum		36.5 lbs.	118"W x 126.75"-139.25"H x 118"D	dye sublimation only
NEW! 15'	Lifetime / 1 year / 3 years		lever for height adjustments ABS glass-filled nylon joints	5=3	46 lbs.	175.5"W x 126.75"-139.25"H x 118.25"D	00000
NEW! 20' ★					62.75 lbs.	234.5"W x 126.75"-139.25"H x 118.25"D	
PREMIUM GABLE							
10'		ALUMINUM 1.75" DIA. HEXAGON LEGS			37.4 lbs.	118"W x 119.25"-131.5"H x 118"D	000000
15'	Lifetime / 1 year		0.8 mm anodized aluminum lever for height adjustments ABS glass-filled nylon joints	5=3	47.2 lbs.	175.5"W x 119.25"-131.75"H x 118.25"D	0
20'					64 lbs.	234.5"W x 119.25"-131.75"H x 118.25"D	white only
ELITE							
10'	Lifetime / 1 year / 3 years	ALUMINUM 2.125" DIA. HEXAGON LEGS	1.55 mm anodized aluminum lever for height adjustments machined aluminum joints	(5-2-2)	63 lbs.	118"W x 116.75"-128.25"H x 118"D	
							•

Beaufort Wind Rating: Select products have been rated on the Beaufort Wind Scale. See rating icon underneath the product name. Wind ratings were determined utilizing all available securing/stabilizing options sold with or offered for the product. Review the Beaufort Scale on the website for additional details.

Disclaimer: Wind rating conducted in a controlled environment. Outdoor products should be taken down if bad weather is likely. Wind gusts and heavy rain could reduce the wind resistance of these products.

QUICK & EASY SETUP FEATURES



Sets up in minutes.



Adjust tent height with the push of a button.



Crank-up canopy creates a taut, clean peak. *Excludes Economy, Elite & Omni tents.



Secure tent to the ground with stake kit.



Collapses easily to store in a rolling soft case with wheels. *Excludes Economy & Omni tents.



Easy-Glide Tent Feet for mobility.











SIGNAGE COMPARISON CHART

EST SELLERS ★ USTAINABLE ◆	EASY CHANGE GRAPHIC		LE- OR E-SIDED	SUBSTRATE	OUTI	DOOR	WIND RATING	WEIGHT
OUTDOOR		SINGLE	DOUBLE		LONG TERM	SHORT TERM		
Coro A-Frame	•		X	4 mm Corrugated Plastic		X	1号	4 lbs.
Corrugated Plastic Sign *	•	X	Х	4 mm Corrugated Plastic	Х		3⊰∋	0.5-1.5 lbs
Deluxe Wood A-Frame	1		Х	Chalkboard		Х	2号	17.8-29.8 lb
Economy Wood A-Frame	1		X	Chalkboard		Х	2号	8.4 lbs.
EuroFit Flex Sign	•		Х	Recycled Polyester Knit	Х		3⊰	14.8-15.7 lb
FrameWorx Flex	1	Х	Х	Mesh Fabric		Х	3⊰	27.5 lbs.
Horizontal A-Frame	1		X	Titan™ 13 oz. Scrim Vinyl	X		2号	11-18 lbs.
Magnet Promo Sign		Х		Magnet Media	X			0.4-1.6 lbs
Opaque Window Cling		X		Window Film	Х			0.02-0.45
Outdoor Flex Sign	1		Х	Titan™ 10 oz. Scrim Vinyl	Х		3⊰∋	27 lbs.
Outdoor Flex Sign with Ballast Base	1		Х	Titan™ 10 oz. Scrim Vinyl	Х		3⊰∋	26 lbs.
Parking Pal			X	Reflective Media	X		4왕	13 lbs.
Rover Portable Sign Post	1	X	X	Aluminum Composite	X		5⊰	11.4-18 lbs
Signicade A-Frame ★	1		X	4 mm Corrugated Plastic	X		4왕	20 lbs.
Signicade Deluxe A-Frame ★	1	X	X	4 mm Corrugated Plastic • Chalkboard	X		4왕	21-25 lbs
Simpo Sign II A-Frame	1	X	X	4 mm Corrugated Plastic	X		4号	10.5 lbs.
Storm Mat		X		Polyester Carpeting with Rubber Backing	X		J	4-14 lbs.
Sunrise Lawn Sign	1	X	X	Super Poly Knit Fabric • Block-Out Polyester	X		3号	2.3 lbs.
Sunrise Multisurface Sign	1	X	X	Super Poly Knit Fabric • Block-Out Polyester	X		3号	13.5-14 lb
Superstrong Angle Iron A-Frame	1	1	X	4 mm Corrugated Plastic	X		3号	6.5-13.5 lb
Swing A-Frame	1		X	Aluminum Composite • Chalkboard		X	2⊰	14-16.2 lb:
, and the second se	•		X	Recycled Polyester Knit	X		2⊰	8.25 lbs.
Wayfinding Sign	1		X	Aluminum Composite	X		6 号	1.2 lbs.
INDOOR	•	SINGLE	DOUBLE	, namman composito				112 1001
	•	X		3 mm Paperboard				7.4 lbs.
	1		X	Recycled Polyester Knit				4.4-7.6 lbs
Aerial SEG Glo	1		X	Backlit Woven Polyester				5-10.2 lbs
Crystal Edge Display		X		Titan™ Backlit Film				5-13.7 lbs
Flat Base Sign Display	1		X	4 mm Corrugated Plastic				13.5 lbs.
Floor Decor	•	X		PVC Coated Polyester Woven Fabric with PVC Foam				1.6-22 lbs
Floor Hugger Mat ★		X		Nylon Yarn with Rubber Backing				8-16 lbs.
	•		X	Recycled Polyester Knit				6.8 lbs.
Impress Lite A-Frame	•		X	Recycled Polyester Knit				11 lbs.
Indoor Surface Grip	<u> </u>	X	, A	Adhesive Matte Vinyl with Fabric Backing				0.05-2.4 lt
Luxe Glo Sign		X		0.060 White Polycarbonate				3-6.6 lbs
Standard Wall-Mount SEG Glo	-	X		Backlit Woven Polyester				2.8-12.4 lb
NEW! Tower Tiles	<u> </u>	+ ^	X	3 mm Paperboard				3.2-7.8 lbs
Tower Trio		X	 ^	4 mm Corrugated Plastic				6-8 lbs.
Uptown A-Frame				v v				15.5-24.25
	1		X	Rigid PVC Board				
Uptown Accent A-Frame Value Wall-Mount SEG	1		X	Rigid PVC Board				30.5 lbs.
Value Wall-Mount SEG		X	1	Recycled Polyester Knit		1	1	2.2-6 lbs.

Beaufort Wind Rating: Select products have been rated on the Beaufort Wind Scale. Wind ratings were determined utilizing all available securing/stabilizing options sold with or offered for the product. Review the Beaufort Scale on the website for additional details.

Signage Substrates



- · 4 mm Corrugated Plastic · Rigid PVC Board
- · Chalkboard
- · Aluminum Composite
- · 0.060 White Polycarbonate
- · 3 mm Paperboard



- Titan™ 10 oz. Scrim Vinyl
 Titan™ 13 oz. Scrim Vinyl
- · Titan™ Backlit Film



- Super Poly Knit FabricRecycled Polyester KnitMesh Fabric

- Backlit Woven Polyester
 Block-Out Polyester



- PVC Coated Polyester Woven
 Fabric with PVC Foam
 Nylon Yarn with Rubber Backing
- · Polyester Carpeting with Rubber Backing



- Adhesive Matte Vinyl with Fabric BackingWindow Film
- · Magnet Media
- · Reflective Media









MODULAR DISPLAY COMPARISON CHART

BEST SELLERS ★ SUSTAINABLE ◆	FRAME WARRANTY		FRAME WIDTHS										FEAT	URES			PANEL DETAILS		
		3'	4'	5'	6'	8'	10'	12'	15'	20'	SILICONE EDGE GRAPHICS	MODULAR CONNECTOR SETS	FOLDABLE FRAME	INTERNAL LED LIGHTS	ANGLED WALL OPTION	MULTIPLE HEIGHT OPTIONS	SINGLE- SIDED	2-SIDED OPTION	MATERIAL
Journey ★ ◆	2 years	X	×	Х	Х	X	Х	X	Х	X	1	*	1					×	Recycled Polyester Knit
Astra	3 years	×		×		X	Х				1	*		1		*		×	Backlit Woven Polyester
TRIGA® Go ◆	3 years	Х			Х		Х			Х	1				1		Х	X	Recycled Polyester Knit

MODULAR DISPLAY HARDWARE

Journey













The lightweight aluminum frame folds down for easy transportation.



Hardware can be assembled to be 6.5'H or 8'H. Replacement graphics are available online.



Join the top and bottom poles by simply turning the connector to the lock position.













POP-UP DISPLAY COMPARISON CHART

BEST SELLERS ★ SUSTAINABLE ◆	EASE OF SETUP	FRAME WARRANTY		FRAME DETAILS	II	PANEL ISTALLATION	PANEL MATERIAL	ADD-ON OPTIONS SOLD SEPARATELY
Splash ★ ◆	•••	2 years	A	high-grade 0.03" aluminum frame scissor construction bayonet locking system medium-weight nylon connecting hubs		Hook-and-loop fasteners	Recycled Polyester Knit Block-Out Fabric	Ultimate LED Light Kits
GeoMetrix	••••	1 year		• lightweight 0.03" aluminum • spring-action pop-up frame		Reinforced buttonholes on panels attach to pegs on the frame's hubs	Polyester Double Knit	Ultimate LED Light Kits
Deluxe GeoMetrix ★	•••	2 years		high-grade 0.03" aluminum frame scissor construction bayonet locking system medium-weight nylon connecting hubs rectangular extrusions for stability and shelf strength	-	Reinforced buttonholes on panels attach to pegs on the frame's hubs	Polyester Double Knit	Ultimate LED Light Kits Internal Shelf Stabilizer Feet Connector Shelf Edge Graphic Panels
ARISE	••••	Lifetime		high-grade 0.04" extruded aluminum frame self-locking scissor construction medium-weight nylon connecting hubs		Magnets connect bars to the frame for magnet-to-magnet panel registration	Fabric Panels Mural Panels	Internal Shelf

PANEL MATERIAL

Splash Pop-Ups





Block-Out Fabric

Block-out fabric is designed to prevent light from showing through the display. It is a good option for brightly lit areas.

Recycled Polyester Knit

Sustainable recycled polyester knit is made with fibers recycled from plastic bottles.

GeoMetrix Pop-Ups




Polyester Double Knit Stretches both ways to create a taut fit on GeoMetrix frames, giving you countless options for setting up a creative display.



Deluxe GeoMetrix 9-Quad Classic

Traditional Pop-Ups





Hook-and-loopreceptive Fabric High-quality polyester fiber.



Laminated center mural panels with fabric end panels



Mural Panel Titan™ no-curl laminated media is rigid so it will not wrinkle or curl.



Laminated full mural panels







